

## Receiving Report

Date: 9/11/05

Batch No: M113084

Supplier: WAGNA

Dart P/O: 10691

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☐ No ☒ N/A ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection ☒ N/A ☐  
 Work Order ☐ N/A ☒

**Discrepancies**

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 9/11/05  
 Date    
 Received/Costing    
 Initial [Signature]


Location



**Magna Stainless**  
5775 Kieran St, Saint-Laurent QC H4S 0A3  
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

# INVOICE

Pg 1 of 1 I019022



SOLD TO:

DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY , ON  
K6A 1K7

**SHIP TO:**

DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY , ON  
K6A 1K7

MTR:Y

INVOICE DATE:	11/05/09
ORDER DATE:	11/04/09
SHIP DATE:	11/05/09
ORDER NUMBER:	W020889
PURCHASE ORDER:	P010691

Currency	Sales Person	Ship Via	F.O.B.	Terms
CANADIAN DOLLARS	ERYCK BLAIS	NIR:R-557065-1	PREPAID	NET 30 DAYS

Ln	Back Ordered	Ordered	Unit	Description	Shipped	Price Per	Value
		2	PC	STAINLESS FLATS SFL 304 1/4" x 4" x R/L L032054 12' 2 PC/80 LB	2 UN	115.00	230.00

11/06/09 13:48:40

Merchandise:	230.00
Surcharges:	
No Tax Costs:	
GST	11.50
Total Due:	241.50

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471  
G.S.T. # 881565899 RT0001

## Receiving Report

Date: 9/11/05  
 Supplier: WAGNER

Batch No: M113084  
 Dart P/O: 10691

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☐ No ☒ N/A ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection ☒ N/A ☒  
 Work Order ☐

Discrepancies						Comments
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	

Initials of receiver (if shipment OK) Level 12

Production/Admin: 9/11/05  
 Date  
 Received/Costing    
 Initial  

Location



# Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3  
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

## PACKING LIST

I019022

Page: 1 of 1

SOLD TO:  
DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY , ON  
K6A 1K7  
Contact: CHANTAL

SHIP TO:  
DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY , ON  
K6A 1K7  
Ship Terms: PREPAID



MTR:Y

SPECIAL INSTRUCTIONS

Currency		Sales Person	Customer Phone	Customer Fax	Customer PO		
CANADIAN DOLLARS		ERYCK BLAIS	(613) 632-5200	(613) 632-1053	P010691		
Sales Order	Terms		Ship Via		Date Ordered	Date Required	Date Shipped
W020889	NET 30 DAYS		NIR:R-557065-1		11/04/09	11/05/09	11/05/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
2		PC	STAINLESS FLATS SFL 304 1/4" x 4" x R/L - 12' 80 LB / 2 PC <i>10/11/08</i>	L032054	829625	2
Bundles: 1				Approx Weight:		80 LB

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Signature: \_\_\_\_\_



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO10691

Purchase Order Date 11/04/09

PO Print Date 11/04/09

Page Number 1 of 1

Order From :

VC-MAG002

MAGNA STAINLESS  
5775 RUE KIERAN  
ST LAURENT, QC H4S 0A3  
CA

**FAXED**  
06/11/09

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.250X4.000	304 BAR .250 x 4.00	11/06/09 Yes	24.00 f	Yours ppd	\$9.5833	\$230.00

Special Inst: MATERIAL: AISI 304/316 SS BAR  
(NOTE: AISI 303 NOT ACCEPTABLE)

PO Total:

\$230

**MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY**

Change Nbr: 1

Change Date: 11/04/09

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

POO#008-827621 (21)

NOTICE OF SHIPMENT/  
PACKING LIST



CERTIFICATE OF TEST

AL 61603908

1500

SOLD TO

FORMS DISTRIBUTION

SHIP TO

SOLD TO

06/16/09 436746

MIDLAND, PA

REPEAT ORDER

93607-0 28

PRIME SEC.

DSO DSO

513

429231

GOVT CONTRACT

31020101120000

1121 MIDLAND

SHIP TO

52-069-046

SHIPPING LOCATION

PA

09/01/09

INVOICE

230932

AMERINOX  
2201 MT. EPHRAIM AVENUE  
BLDG. 90  
HARRIS TERMINAL  
CAMDEN  
NJ 08104

Acceptable to M3045

09.11.09

GRADE AND SPECIFICATIONS

ALLEGHENY STAINLESS STEEL TYPE 304 PLATE-HOT ROLLED COILS ANNEALED PICKLED MILL EDGE (SIY REV 2) (AMS 5513H)  
(ASTM-A-480-09) (ASTM-A-240-09A) (ASME-SA-480 EDITION 2007) (ASTM-A-262-02A PRACTICE E) (ASTM-A-666-03)  
(ASME-SA-240-07)

ITEM PCS DIMENSIONS W/G/L

001 1 49./250/1021.

C CUST IDENTITY 304HR250X48MW  
1 COIL

HEAT # LIFT #

829625 08119N756  
829625 08119N757

TEST #

M288495

GROSS TARE NET

42230

42230

THEO

TAG #/ CD SKID #

177704

42230

42230

ORDER REMARKS: "THE ABSENCE OF INTERLEAVE PAPER CAN LEAD TO SURFACE DAMAGE. ALLEGHENY LUDLUM WILL ASSUME NO  
DIST: RESPONSIBILITY FOR SUCH DAMAGE ON ORDERS WHICH PROHIBIT PAPER INTERLEAVE."  
ALL ORDERS MUST BE SET UP TO HAVE LINEAR FOOTAGE AND THEORETICAL WEIGHT SHOWN ON THE CERTS.

TYPE HEAT/TEST  
HEAT 829625

--C--- --MN--- --P--- --S--- --SI--- --CR--- --NI--- --MO--- --CU--- --N---  
.05 .95 .033 .0005 .36 18.22 8.07 .46 .51 .07

ITEM TEST NO  
001 M288495

YIELD TENSILE & ELONG  
PSI \* PSI IN 2" & R/A

T 49700. 95500. 52.  
\* Y.S. BY 0.2% OFFSET METHOD

NR 87.HREW BEND A 262 PR E SIZE HARDENABILITY  
87.HREW T PASS PASS NR NR

NR = DATA NOT REQUIRED

GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

PAGE 01 - CONTINUED ON PAGE 02

09/01/09 09:23:04

CONSIGNEE- Please Note- This commitment was turned over in  
center in line) days condition, being correctly loaded, at which time  
our responsibility for loss or damage (negligent) ceases. For your  
protection, please examine shipment as it arrives. If any shortage  
or damage is discovered, have a full description made by  
transportation agent on waybill before signing.

Material Safety Data Sheets for the product have been  
supplied to your Purchasing Department. For an additional copy  
phone 724-226-5977. CAUTION: Processing that makes  
unusual dust or solution may cause lung disease. See Material  
Safety Data Sheets for further information.

WARNING

Les fiches d'information sécurité de ce produit ont été fournies à votre  
département chargé des achats. Pour obtenir des exemplaires supplémentaires  
veuillez téléphoner au service achat 724-226-5977. Attention: les  
traitements entraînant la production de poussières, poussières ou solutions  
peuvent être causes de maladies pulmonaires. Pour plus de renseignements se  
référer aux fiches d'information sécurité.

This shows a true copy of data on file. The material and test  
results conform to the order, contract and specification(s) as set  
forth in Allegheny Ludlum's Order Acknowledgment.

Tracy McFarland  
Director, Corporate Quality Assurance

013

NOTICE OF SHIPMENT  
PACKING LIST



CERTIFICATE OF TEST

AL 8100-3 908

1500

SOLD TO

FORMS DISTRIBUTION

1

SOLD TO

06/16/09 436746

MIDLAND, PA

REPEAT ORDER

93607-0

PRIME SEC.

DSO DSO

513

429231

GOVT CONTRACT

31020101120000

1121 MIDLAND

SHIP TO

52-069-046

SHIPPING LOCATION

PA

09/01/09

INVOICE

230982

AMERINOX

2201 MT. EPHRAIM AVENUE

BLDG. 90

HARRIS TERMINAL

CAMDEN

NJ 08104

GRADE AND SPECIFICATIONS

ALLEGHENY STAINLESS STEEL TYPE 304 PLATE-HOT ROLLED COILS ANNEALED PICKLED MILL EDGE (SIY REV 2) (AMS 5513H) (ASTM-A-480-09) (ASTM-A-240-09A) (ASME-SA-480 EDITION 2007) (ASTM-A-262-02A PRACTICE E) (ASTM-A-666-03) (ASME-SA-240-07)

CARRIER - CLAY TRANSPORT, INC.

ALLEGHENY LUDLUM DOES NOT USE MERCURY IN THE TESTING OR PRODUCTION OF ITS PRODUCTS. TO THE BEST OF ALLEGHENY LUDLUMS KNOWLEDGE, UNDERSTANDING, AND BELIEF, THIS MATERIAL WAS NOT CONTAMINATED BY MERCURY WHILE IT WAS BEING PRODUCED IN OUR FACILITIES.

NO WELDS/WELD REPAIRS PERFORMED.

AUSTENITIC STAINLESS STEELS ARE SOLUTION ANNEALED AT 1900 DEGREES FAHRENHEIT (1038 C) MINIMUM AND RAPIDLY COOLED TO DEVELOP THE SPECIFIED PROPERTIES. EVIDENCE OF CONFORMANCE IS PROVIDED BY THE ABILITY OF THE MATERIAL TO MEET THESE SPECIFIED MECHANICAL REQUIREMENTS

THIS CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ALC QUALITY MANUAL REVISION 17 DATED 05/12/2008. ALC HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001. DIN EN 10204:2005 - 3.1. ALLEGHENY LUDLUM IS APPROVED AS A MANUFACTURER ACCORDING TO AD-VERK BLATT W0/TRD100 AND THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC. TESTING WAS PERFORMED AT ALC NADCAP AND ISO/IEC 17025 APPROVED LABORATORIES LOCATED AT NATRONA HEIGHTS, BRACKENRIDGE, LATROBE, AND MIDLAND, PA FACILITIES OR A NADCAP AND ISO/IEC 17025 ACCREDITED LABORATORY.

PAGE 02 - CONTINUED ON PAGE 03

09/01/09 09:23:04

CONSIGNEE-Please Note: This consignment was turned over to carrier in Airtel Close condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing this material fumes, dust, or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING: Les fiches d'information-évaluées de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention, les traitements industriels la production de vapeurs, poussières, ou solutions peuvent être source de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-évaluées.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland  
Director, Corporate Quality Assurance

014

NOTICE OF SHIPMENT/  
PACKING LIST



CERTIFICATE OF TEST

AL 6188-3 908

1500

FORMS DISTRIBUTION  
SOLD TO 1 1 SHIP TO SPEC  
SOLD TO

06/16/09 436746

MIDLAND PA  
REPEAT ORDER  
93607-0  
PRIME DSO  
SEC. DSO  
513

429231  
GOVT CONTRACT

31020101120000 52-069-046 09/01/09  
SHIP TO 1121 MIDLAND PA 230932

AMERINOX  
2201 MT. EPHRAIM AVENUE  
BLDG. 90  
HARRIS TERMINAL  
CAMDEN

NJ 08104

GRADE AND SPECIFICATIONS  
ALLEGHENY STAINLESS STEEL TYPE 304 PLATE-HOT ROLLED COILS ANNEALED PICKLED MILL EDGE (SIY REV 2) (AMS 5513M)  
(ASTM-A-480-09) (ASTM-A-240-09A) (ASME-SA-480 EDITION 2007) (ASTM-A-262-02A PRACTICE E) (ASTM-A-666-03)  
(ASME-SA-240-07)

ALLEGHENY LUDLUM PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES:  
C,S BY COMBUSTION/INFRARED  
N,O,H BY INERT FUSION/THERMAL CONDUCTIVITY  
MN,P,SI,CR,NI,MO,CU,CB,CO,V BY WDXRF  
B BY OES  
AL AND TI (>=0.10%) BY WDXRF, OTHERWISE BY OES  
PB,BI,AG BY GEAA

FOR ACCESS TO ONLINE CERTIFICATES OF TEST  
REGISTER AT WWW.ALCEXTRA.COM

PAGE 03 - FINAL PAGE.

09/01/09 09:23:04

CONSIGNEE- Please Note: This consignment was turned over in  
conformity with the conditions, being correctly stated, at which time  
our responsibility for loss or damage is terminated. For your  
protection please inspect shipment at its arrival. If any shortage  
or damage is discovered, have a full description made by  
transportation agent on receipt before signing.

Material Safety Data Sheets for this product have been  
supplied to your Purchasing Department. For an additional copy  
please call 724-225-8577. CAUTION: Improper handling of these  
forms, dust, or solutions may cause lung diseases. See Material  
Safety Data Sheets for further information.

WARNING  
Les fiches d'information-sécurité de ce produit ont été fournies à votre  
département chargé des achats. Pour obtenir des exemplaires supplémentaires  
veuillez téléphoner au numéro suivant 724-225-8577. Attention, les  
travaux effectués en production de vapeur, poussières, ou solutions  
peuvent être cause de maladies pulmonaires. Pour plus d'informations se  
référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The method and test  
results conform to the sales contract and specifications as set  
forth in Allegheny Ludlum's Order Acknowledgment.

Tracy McFarland  
Director, Corporate Quality Assurance



## Chantal Lavoie

---

**From:** Eryck Blais [eblais@magnastainless.com]  
**Sent:** November 4, 2009 8:55 AM  
**To:** 'Chantal Lavoie'  
**Subject:** RE: quote

2 pcs 12' \$115.00 each stock  
thank you  
eryck

---

**From:** Chantal Lavoie [mailto:clavoie@dartaero.com]  
**Sent:** Wednesday, November 04, 2009 8:55 AM  
**To:** Eryck Blais  
**Subject:** quote

Please advise price & delivery on material.  
304 bar 0.250" x 4" x 24 ft  
Thanks  
Chantal